Formula:

Wite-Out® Water Based Correction Fluid

MSC:S/T203797 Page: 1 of 3

May 25, 2001

MATERIAL SAFETY DATA SHEET

Manufacturer

MSDS Preparer:

Date: May 25, 2001

Wite-Out Products, Inc.

SGS U.S. Testing Company, Inc.*

Supersedes: October 21, 1998 Page 1 of ::

145 Southchase Blvd. Fountain Inn, SC 29644

Fairfield, NJ 07004 Tel: (201) 575-5252

Emergenc: Telephone No. 800-424-9: 00 (CHEMTREC) Information Telephone No.

*Specific Technical information

(203) 783-; 103

provided by manufacturer

I. PRODUCT INFORMATION

Identity

Wite-Out® Water Based Correction Fluid

Chemical Name

Not Available (N/A)

Chemical Family

N/A

CAS Registry Number : DOT Shipping Name

N/A N/A

DOT Hazard Class

N/A

Component(s) Ethylene Glycol

<u>%</u>

OSHA PEL

Hazard Information **ACGIH TLV**

N/A

OTHERS Ceiling **OSHA/ACGIH** 100 mg/m³

III. PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point, °F

212

Vapor Pressure (mm Hg)

26.8 at 77°F (estimated)

Vapor Density (Air = 1)

N/A

Solubility in Water

0.37 gm per 100 mL

Appearance and Odor

Free flowing liquid with ammoniacal odor

Specific Gravity, (H₂O = 1)

Correction fluid 1.64

Freezing Point

23°F

Evaporation Rate (Butyl Acetate = 1)

0.22

IV. FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)

>230°F (Closed Cup)

Flammability Limits in Air, LEL

N/A

UEL

N/A

Extinguishing Media for Fires

CO2, Foam, Dry Chemical

→ SP ED

Ø 003

Formula:

Wite-Out® Water Based Correction Fluid

MSE:S/T203797

Page: 2 of 3 May 25, 2001

IV. FIRE AND EXPLOSION HAZARD DATA (CONT.)

Special Fire Fighting Procedures

Wear self-contained breathing apparatus.

Unusual Fire and Explosion Hazards

None known.

V. REACTIVITY DATA

Stability

[] Unstable

[X] Stable

Conditions to Avoid Materials to Avoid

Heat source, sparks or flame. None known.

Hazardous Decomposition Products Hazardous Polymerization Products

None known. [] May Occur

[X] May Not O xur

HEALTH HAZARD DATA VI.

Carcinogen or Potential Carcinogen

OSHA:

Health Hazard (Acute or Chronic)

Skin

Not anticipated to be a primary skin irritant per the FHSA.

Eves

Not anticipated to be an eye imitant per the FHSA.

Human Ingestion Hazard

Not known.

Inhalation

Not anticipated to be hazardous under nonnal use conditions.

Effect of Over Exposure

None known.

Medical Conditions Generally

Aggravated by Exposure :

Existing dermal condition.

Emergency and First Aid Procedures

Skin Eyes Wash with soap and water. Consult physician if irritation occurs and persists.

Ingestion

Wash with water. Consult physician if irritation occurs.

Inhalation

Consult physician at once. Consult physician at once.

VII. PRECAUTIONS FOR SAFE HANDLING AND USE

Spill or Leak Procedures

Clean with absorbent material and dispose of

properly. Ventilate area.

Disposal Recommendations

Dispose in accordance with local state, and federal regulations.

Storage and Handling Recommendations

Store and transport in closed container. Store in

Other Precautions

ventilated area. Avoid heat, fire and furnes. Keep away from children.

Formula:

UD/ UU/ LUVU LV. LU LAA TEVTTELUUT

Wite-Out® Water Based Correction Fluid

MSC S/T203797 Page: 3 of 3 May 25, 2001

VIII. CONTROL MEASURES

Respiratory Protection

Ventilation

Protective Gloves

Eye Protection

Other Protection Equipment or Clothing

Work Hygiene Practice

None necessary under normal conditions.

[] Local [X] Mechanical [| Special [] Other :

Chemical resistant gloves wher handling bulk.

Not required except when handing bulk.

None required.

Standard good industrial hygien a practice

recommended.

IX. REGULATORY INFORMATION

California Proposition 65

This product complies with the labeling requirement of

the California Safe Drinking Water at d Toxic

Enforcement Act of 1986.

TSCA

All components in this product are listed on the TSCA

inventory or are exempted from TSC/.

Others

This product does not contain chemical shown to deplete :

the ozone layers.

Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, believe that the information contained herein (including data and statements) is accurate as of the date hereof. NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE AS CONCERNS THE INFORMATION HEREIN PROVIDED. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and me hods of use of the product and the information referred to herein are beyond the control of Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, (references to Wite Out Products, Inc. and SGS U.S. Testing Company Inc., the preparer of this MSDS, including its divisions, affiliates, and subsidiaries), Wite Out Products, Inc. and SGS U.S. Tes ing Company Inc., the preparer of this MSDS, expressly disclaim any and all liability as to any results obtained or arising from any use of the product or such information. No statement made I erein shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents.