

## LEHN &amp; FINK PRODUCTS -- LYSOL (R) BRAND DISINFECTANT SPRAY -- (JKL...)

## Physical/Chemical Characteristics

Appearance And Odor: AEROSOL SPRAY CAN  
Boiling Point: 172F, 78C  
Vapor Pressure (MM Hg/70 F): 95-105PSIG  
Vapor Density (Air=1): >1  
Specific Gravity: 0.835 @ 25C  
Decomposition Temperature: UNKNOWN  
Solubility In Water: MISCIBLE  
pH: 10  
Corrosion Rate (IPY): UNKNOWN

## Fire and Explosion Hazard Data

Flash Point: 70.0F, 21.1C  
Flash Point Method: TCC  
Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE.  
USE MEDIA SUITABLE FOR SURROUNDING FIRE.  
Special Fire Fighting Proc: WEAR SCBA AND PROTECTIVE EQUIPMENT FOR  
FIGHTING A TYPICAL CHEMICAL FIRE. MOVE CONTAINERS AWAY FROM FIRE IF  
POSSIBLE AND SAFE TO DO SO.  
Unusual Fire And Expl Hazrds: CONTENTS UNDER PRESSURE. DO NOT USE NEAR  
HEAT, SPARK OR OPEN FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER.  
EXPOSURE TO TEMP. ABOVE 120F MAY CAUSE BURSTING.

## Reactivity Data

Stability: YES  
Cond To Avoid (Stability): AVOID TEMPERATURES ABOVE 120F.  
Materials To Avoid: STRONG OXIDIZING AGENTS  
Hazardous Decomp Products: CARBON DIOXIDE, CARBON MONOXIDE, AND  
UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING THERMAL DECOMPOSITION.  
Hazardous Poly Occur: NO  
Conditions To Avoid (Poly): NOT APPLICABLE

## Health Hazard Data

LD50-LC50 Mixture: LD50 (ORAL RAT) IS UNKNOWN  
Route Of Entry - Inhalation: YES  
Route Of Entry - Skin: YES  
Route Of Entry - Ingestion: NO  
Health Haz Acute And Chronic: NONE SPECIFIED BY MANUFACTURER.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS  
LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.  
Signs/Symptoms Of Overexp: SUSCEPTIBLE INDIVIDUALS MAY EXPERIENCE  
DIZZINESS, DROWSINESS, NAUSEA AND VOMITING IF EXPOSED TO EXTREMELY HIGH  
CONCENTRATIONS OF THE VAPORS. MAY CAUSE MILD TEMPORARY EYE IRRITATION.  
Med Cond Aggravated By Exp: PERSONS WITH A HISTORY OF RESPIRATORY  
DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.  
Emergency/First Aid Proc: EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST  
15 MIN., REMOVE CONTACT LENSES TO INSURE A THOROUGH FLUSH. IF IRRITATION  
PERSISTS, GET MEDICAL ATTENTION. SKIN: NOT EXPECTED TO BE A PROBLEM.  
INHALATION: IF REQUIRED, REMOVE TO FRESH AIR. INGESTION: VERY UNLIKELY.  
ADMINISTER WATER TO DILUTE THE INGESTED MATERIAL. CONSULT PHYSICIAN. DO NOT  
GIVE LIQUIDS TO AN UNCONSCIOUSNESS PERSON.



## LEHN &amp; FINK PRODUCTS -- LYSOL (R) BRAND DISINFECTANT SPRAY -- (JKI...

## Physical/Chemical Characteristics

Appearance And Odor: AEROSOL SPRAY CAN  
Boiling Point: 172F, 78C  
Vapor Pressure (MM Hg/70 F): 95-105PSIG  
Vapor Density (Air=1): >1  
Specific Gravity: 0.835 @ 25C  
Decomposition Temperature: UNKNOWN  
Solubility In Water: MISCIBLE  
pH: 10  
Corrosion Rate (IPY): UNKNOWN

## Fire and Explosion Hazard Data

Flash Point: 70.0F, 21.1C  
Flash Point Method: TCC  
Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE.  
USE MEDIA SUITABLE FOR SURROUNDING FIRE.  
Special Fire Fighting Proc: WEAR SCBA AND PROTECTIVE EQUIPMENT FOR FIGHTING A TYPICAL CHEMICAL FIRE. MOVE CONTAINERS AWAY FROM FIRE IF POSSIBLE AND SAFE TO DO SO.  
Unusual Fire And Expl Hazrds: CONTENTS UNDER PRESSURE. DO NOT USE NEAR HEAT, SPARK OR OPEN FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER. EXPOSURE TO TEMP. ABOVE 120F MAY CAUSE BURSTING.

## Reactivity Data

Stability: YES  
Cond To Avoid (Stability): AVOID TEMPERATURES ABOVE 120F.  
Materials To Avoid: STRONG OXIDIZING AGENTS  
Hazardous Decomp Products: CARBON DIOXIDE, CARBON MONOXIDE, AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING THERMAL DECOMPOSITION.  
Hazardous Poly Occur: NO  
Conditions To Avoid (Poly): NOT APPLICABLE

## Health Hazard Data

LD50-LC50 Mixture: LD50 (ORAL RAT) IS UNKNOWN  
Route Of Entry - Inhalation: YES  
Route Of Entry - Skin: YES  
Route Of Entry - Ingestion: NO  
Health Haz Acute And Chronic: NONE SPECIFIED BY MANUFACTURER.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.  
Signs/Symptoms Of Overexp: SUSCEPTIBLE INDIVIDUALS MAY EXPERIENCE DIZZINESS, DROWSINESS, NAUSEA AND VOMITING IF EXPOSED TO EXTREMELY HIGH CONCENTRATIONS OF THE VAPORS. MAY CAUSE MILD TEMPORARY EYE IRRITATION.  
Med Cond Aggravated By Exp: PERSONS WITH A HISTORY OF RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.  
Emergency/First Aid Proc: EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MIN., REMOVE CONTACT LENSES TO INSURE A THOROUGH FLUSH. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: NOT EXPECTED TO BE A PROBLEM. INHALATION: IF REQUIRED, REMOVE TO FRESH AIR. INGESTION: VERY UNLIKELY. ADMINISTER WATER TO DILUTE THE INGESTED MATERIAL. CONSULT PHYSICIAN. DO NOT GIVE LIQUIDS TO AN UNCONSCIOUSNESS PERSON.



## LEHN &amp; FINK PRODUCTS -- LYSOL (R) BRAND DISINFECTANT SPRAY -- (JKL...

## Physical/Chemical Characteristics

Appearance And Odor: AEROSOL SPRAY CAN  
Boiling Point: 172F, 78C  
Vapor Pressure (MM Hg/70 F): 95-105PSIG  
Vapor Density (Air=1): >1  
Specific Gravity: 0.835 @ 25C  
Decomposition Temperature: UNKNOWN  
Solubility In Water: MISCIBLE  
pH: 10  
Corrosion Rate (IPY): UNKNOWN

## Fire and Explosion Hazard Data

Flash Point: 70.0F, 21.1C  
Flash Point Method: TCC  
Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL OR CARBON DIOXIDE.  
USE MEDIA SUITABLE FOR SURROUNDING FIRE.  
Special Fire Fighting Proc: WEAR SCBA AND PROTECTIVE EQUIPMENT FOR FIGHTING A TYPICAL CHEMICAL FIRE. MOVE CONTAINERS AWAY FROM FIRE IF POSSIBLE AND SAFE TO DO SO.  
Unusual Fire And Expl Hazrds: CONTENTS UNDER PRESSURE. DO NOT USE NEAR HEAT, SPARK OR OPEN FLAME. DO NOT PUNCTURE OR INCINERATE CONTAINER. EXPOSURE TO TEMP. ABOVE 120F MAY CAUSE BURSTING.

## Reactivity Data

Stability: YES  
Cond To Avoid (Stability): AVOID TEMPERATURES ABOVE 120F.  
Materials To Avoid: STRONG OXIDIZING AGENTS  
Hazardous Decomp Products: CARBON DIOXIDE, CARBON MONOXIDE, AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED DURING THERMAL DECOMPOSITION.  
Hazardous Poly Occur: NO  
Conditions To Avoid (Poly): NOT APPLICABLE

## Health Hazard Data

LD50-LC50 Mixture: LD50 (ORAL RAT) IS UNKNOWN  
Route Of Entry - Inhalation: YES  
Route Of Entry - Skin: YES  
Route Of Entry - Ingestion: NO  
Health Haz Acute And Chronic: NONE SPECIFIED BY MANUFACTURER.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.  
Signs/Symptoms Of Overexp: SUSCEPTIBLE INDIVIDUALS MAY EXPERIENCE DIZZINESS, DROWSINESS, NAUSEA AND VOMITING IF EXPOSED TO EXTREMELY HIGH CONCENTRATIONS OF THE VAPORS. MAY CAUSE MILD TEMPORARY EYE IRRITATION.  
Med Cond Aggravated By Exp: PERSONS WITH A HISTORY OF RESPIRATORY DISORDERS MAY BE AT INCREASED RISK FROM EXPOSURE.  
Emergency/First Aid Proc: EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MIN., REMOVE CONTACT LENSES TO INSURE A THOROUGH FLUSH. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: NOT EXPECTED TO BE A PROBLEM. INHALATION: IF REQUIRED, REMOVE TO FRESH AIR. INGESTION: VERY UNLIKELY. ADMINISTER WATER TO DILUTE THE INGESTED MATERIAL. CONSULT PHYSICIAN. DO NOT GIVE LIQUIDS TO AN UNCONSCIOUSNESS PERSON.