Safety Data Sheet

SECTION 1: Product and company identification

Product name

: Weed Hawg

Use of the substance/mixture

: Herbicide

Product code

Company

: American Continental Techlabs, LLC

1625 Robert C. Jackson Street

Maryville, TN 37801 T (865) 984-8701

Emergency number

: InfoTrac 1-800-535-5053

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 3 H226 Eye Irrit. 2A H319

Muta. 1B H340

Carc. 1B H350

Asp. Tox. 1 H304

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

GHS07

Signal word (GHS-US)

Hazard statements (GHS-US)

Danger

Flammable liquid and vapor

May be fatal if swallowed and enters airways

Causes serious eye irritation May cause genetic defects

May cause cancer

Precautionary statements (GHS-US)

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Keep away from heat, hot surfaces, open flames, sparks. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical, lighting, ventilating equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wash thoroughly after handling Wear eye protection, protective clothing, protective gloves If swallowed: Immediately call a doctor, a POISON CENTER

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing If exposed or concerned: Get medical advice/attention

Do NOT induce vomiting

If eye irritation persists: Get medical advice/attention

in base of fire: Use ABC-powder, alcohol resistant foam, carbon dioxide (CO2) to extinguish

Store in a well-ventilated place. Keep cool

Store locked up

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

Safety Data Sheet

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Fuel oil, No 4, Gasoil - unspecified, [A distillate oil having a minimum viscosity of 45 SUS at 37,7 °C (100 °F) to a maximum of 125 SUS at 37,7 °C (100 °F).]	(CAS No) 68476-31-3	60 - 100	Asp. Tox. 1, H304
SOLVESSO 100	(CAS No) 64742-95-6	10 - 30	Fiam. Liq. 3, H226 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304
Polyethylene glycol octylphenyl ether	(CAS No) 9036-19-5	3.0 - 7.0	Skin Init. 2, H315 Eye Init. 2A, H319
Prometon	(CAS No) 1810-18-0	3.0 - 7.0	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Irit. 2, H315 Eye Irit. 2A, H319 STOT SE 3, H335
butan-1-ol, n-butanol	(CAS No) 71-36-3	1.0 - 5.0	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H315 STOT SE 3, H336 STOT SE 3, H336
2-phenoxyethanol	(CAS No) 122-99-6	0.5 - 1.5	Acute Tox. 4 (Oral), H302
naphthalene	(CAS No) 91-20-3	0.1 - 0.3	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Carc. 1B, H350 Aquatic Acute 1, H400

SECTION 4: First aid measures

4.1. Description of first aid measures

First-ald measures general

If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact

: Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin initiation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Immediately call a poison center or doctor/physician, Do NOT induce vomiting.

4.2. Most important symptoms and effects, both scute and delayed

Symptoms/injuries

If you feel unwell, seek medical advice. May cause damage to organs through prolonged or repeated exposure. May cause genetic defects (through prolonged or repeated exposure). May cause cancer.

Symptoms/injuries after inhalation

: Harmful if inhaled, EXPOSURE TO HIGH CONCENTRATIONS: Central nervous system depression. Irritation of the respiratory tract. Headache. May cause drowsiness or dizziness.

Symptoms/injuries after skin contact

: Causes skin irritation.

Symptoms/injuries after eye contact

: Causes serious eye imitation.

Symptoms/injuries after ingestion

: May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media :

: Dry chemical powder. Carbon dioxide. Alcohol-resistant foam.

Date of issue: 7/9/2015 Revision date: 05/19/2015 Version: 1.0 P GHS SDS Page 2 of 8

naphthalene (91-20-3)

ACGIH

ACGIH TWA (ppm)

Safety Data Sheet		product or makes last a
5.2. Special hazards arising from the	substance or mixture	A STREET, SECURITY OF
Reactivity	On burning: release of toxic and corrosive gases/vapours (nitrous vapours, sulphur oxides, carb monoxide - carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases Reacts violently with (strong) oxidizers.	
5.3. Advice for firefighters		
Firefighting instructions	: Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remote due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account environmentally hazardous firefighting water.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release	measures	
6.1. Personal precautions, protective	equipment and emergency procedures	
General measures	: Remove ignition sources. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personnel		
Protective equipment	: Protective goggles. Gloves. Protective clothing.	
Emergency procedures	: Evacuate unnecessary personnel. No naked flames or sparks.	
margerity procedures	· managed on manageral bancaman can miner unmer unmer a chemica	
6.1.2. For emergency responders		
Protective equipment	: Equip deanup crew with proper protection.	
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.	
8.2. Environmental precautions		
Avoid release to the environment, Preve	it entry to sewers and public waters.	
3.3. Methods and material for contai		
For containment	: Contain released substance, pump into suitable containers.	
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation. T up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a soap solution.	
5.4. Reference to other sections	CONTRACTOR OF THE PROPERTY OF	-
No additional information available		
SECTION 7: Handling and stor	age	
7.1. Precautions for safe handling		ACCESS TO NO.
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read a	nd
Toolston of said horang	understood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink of smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and the container with care. Keep away from sources of ignition - No smoking. Take precautions agreelectrostatic charges. Obtain special instructions before use. Remove contaminated clothing immediately.	open
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage, inc		
Sechnical measures	 Comply with applicable regulations. Proper grounding procedures to avoid static electricity should followed. 	ld be
Storage conditions	: Keep container tightly closed. Keep only in the original container in a cool, well ventilated place from: sparks, open flames, excessive heat.	away
ncompatible products	: Oxidizing agent.	
ncompatible materials	: Sources of ignition.	
Storage area	: Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. locked up.	Keep
Special rules on packaging	: Keep only in original container, meet the legal requirements.	
SECTION 8: Exposure controls	Increase Involved as	
SECTION 6: EXPOSURE CONTROL	manner man highest of the comment of	
3.1. Control parameters		
No additional information available		-

Date of issue: 7/9/2015 Revision date: 05/19/2015 Version: 1.0 P GHS SDS Page 3 of 8

10 ppm

Safety Data Sheet

naphthalene (91-20-3)			
ACGIH	ACGIH STEL (ppm)	10 ppm	

8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk essessment indicates this is necessary.
 Gloves, Protective clothing. Protective goggies. Safety glasses.



SECTION 9: Physical and chemical properties

9.1.	Information	on	basic	physical	and	chemical	properties

Physical state : Liquid

Appearance : Clear, red colored liquid.

Odor : Petroleum-like.
Odor threshold : No data available

pH : No data available

Melting point : No data available
Freezing point : No data available

Bolling point : No data available : No data available

Flash point : 123 °F

Relative evaporation rate (butyl acstate=1) : No data available

Flammability (solid, gas) : No data available
Explosion limits : No data available
Explosive properties : No data available

Oxidizing properties : No data available
Vapor pressure : No data available
Relative density : No data available
Relative vapor density at 20 °C : No data available

Specific gravity / density : 0.87 g/ml

Specific gravity / density : 0.87 g/ml

Solubility : Emulsifies in water.

Log Pow : No data available

Log Kow : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : < 20 cSt

Viscosity, dynamic : Nd data available

VOC content : > 90 %

SECTION 10: Stability and reactivity

10.1. Reactivity

On burning: release of toxic and corrosive gases/vapours (nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases. Reacts violently with (strong) oxidizers.

10.2. Chemical stability

Combustible liquid. Stable under normal conditions. Risk of explosion if heated under confinement. Heating may cause a fire or explosion.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidizing agents.

Date of issue: 7/9/2015

Revision date: 05/19/2015

Version: 1.0

P GHS SDS

Page 4 of 8

Safety Data Sheet		
10.6. Hazardous decomposition products		
Thermal decomposition produces: CO, CO2, Oxi	des of	nitrogen and other potentially toxic fumes.
SECTION 11: Toxicological informati	ion	
11.1. Information on toxicological effects		
Acute toxicity	: Not	classified
naphthalene (91-20-3)		
LD50 oral rat	> 1	100 mg/kg (Rat)
LD50 dermal rat		2500 mg/kg (Rat)
LD50 dermal rabbit	> 2	20000 mg/kg (Rabbit)
ATE CLP (oral)	50	0.000 mg/kg body weight
SOLVESSO 100 (64742-95-6)		
LD50 oral rat	>2	2000 mg/kg (Rat)
LD50 dermal rabbit	THE REAL PROPERTY.	160 mg/kg (Rabbit)
2-phenoxyethanol (122-99-6)		
ATE CLP (oral)	50	0.000 mg/kg body weight
butan-1-ol, n-butanol (71-36-3)		Teo Hang bear magni
ATE CLP (oral)	60	0.000 mg/kg body weight
Skin corrosion/irritation	Name and Address of the Owner, where the Owner, which the	classified
The state of the s		
Serious eye damage/irritation Respiratory or skin sensitization		ses serious eye irritation.
		classified
Germ cell mutagenicity :		cause genetic defects.
Carcinogenicity :	Iviay	cause cancer.
naphthalene (91-20-3)		
IARC group	2B	- Possibly Carcinogenic to Humans
National Toxicology Program (NTP) Status	3-	Reasonably anticipated to be Human Carcinogen
	Not	classified
Specific target organ toxicity (single exposure) :	Not	classified
Specific target organ toxicity (repeated exposure)	: No	t classified
Aspiration hazard	: Ma	by be fatal if swallowed and enters airways.
Symptoms/injuries after inhalation	: Ha	rmful if inhaled. EXPOSURE TO HIGH CONCENTRATIONS: Central nervous system pression. Irritation of the respiratory tract. Headache. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact		uses skin irritation.
Symptoms/injuries after eye contact	: Ca	uses serious eye irritation.
Symptoms/injuries after ingestion	: Ma	y be fatal if swallowed and enters airways.
SECTION 12: Ecological Information		
2.1. Toxicity		
naphthalene (91-20-3)		
LC50 fish 1	1.9	mg/l (96 h; Pimephales promelas)
EC50 Daphnia 1		mg/l (48 h; Daphnia magna)
EC500thas-aquationorganisma",		ື່ອ້າກາຮູ້ກໍ (ຈ່າກ; Selenastrum capitoomutum)
LC50 fish 2	0.1	mg/l (96 h; Oncorhynchus mykiss)
TLM fish 1	15	mg/l (96 h; Lepomis macrochirus; Cool water)
TLM fish 2	1.2	24 ppm (96 h; Oncorhynchus gorbuscha)
Threshold limit algae 1	0.6	mal/72 by Skalatanama postativas Craudh

0.4 mg/l (72 h; Skeletonema costatum; Growth rate)

18 mg/l (Pisces)

1 - 10,Algae

21 mg/l (Daphnia sp.)

Data of Law Transport		
Date of issue: 7/9/2015	Revision da: 05/19/2015	Version: 1.0

Threshold limit algae 1

LC50 fish 1

EC50 Daphnia 1

Threshold limit algae 1

SOLVESSO 100 (64742-95-6)

parety Data Sneet	
12.2. Persistence and degradability	
naphthalene (91-20-3)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Biodegradable in the soil. Adsorbs into the soil. Photolysis in the air.
Biochemical oxygen demand (BOD)	g O⊡/g substance
Chemical oxygen demand (COD)	0.22 g O□/g substance
ThOD	2,99 g O□/g substance
SOLVESSO 100 (64742-95-6)	
Persistence and degradability	Readily biodegradable in water.
2.3. Bioaccumulative potential	
naphthalene (91-20-3)	
BCF fish 1	23 - 168 (8 weeks; Cyprinus carpio)
BCF fish 2	40 - 300 (672 h; Oncorhynchus mykiss)
BCF other aquatic organisms 1	381 (360 h; Ostreidae)
BCF other aquatic organisms 2	130 (24 h; Chlorella sp.)
Log Pow	3 30 (Experimental value)
Bioaccumulative potential	Low potential for bloaccumulation (BCF < 500).
SOLVESSO 100 (64742-95-6)	
Log Pow	>3
See all see al	
ECTION 13: Disposal considerat	ions
3.1. Waste treatment methods	
aste disposal recommendations	: Dispose of contents/container to comply with local/regional/national regulations.
ECTION 14: Transport information	

Department of Transportation (DOT)

UN-No.(DOT)

: UN1993

Proper Shipping Name (DOT) : Flammable liquids, n.o.s. (Aliphatic Hydrocarbons)

Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

DOT Packaging Bulk (49 CFR 173.xxx) **DOT Symbols**

: G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102) : B1,B52,IB3,T4,TP1,TP29

DOT Packaging Exceptions (49 CFR : 150 173.xxx)

DOT Quantity Limitations Passenger : 60 L aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft : 220 L only (49 CFR 175.75)

DOT Vessel Stowage Location

: A

Additional information

Other information : When transported by ground in non-bulk containers, this product utilizes the exception found under 49 CFR 173.150.

ADR No additional information available

Date of issue: 7/9/2015 Revision date: 05/19/2015 Version: 1.0 P GHS SDS Page 6 of 8

Safety Data Sheet

H332	
H335	Harmful if inhaled
H336	May cause respiratory irritation
H340	May cause drowsiness or dizziness
H350	May cause genetic defects
H400	May cause cancer
1700	Very toxic to aquatic life

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

: 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.